



Quat Tuberculocidal HUSKY® 814

Q/T TUBERCULOCIDAL SPRAY DISINFECTANT

SPECIFICATIONS:

Registrations	EPA
Dilution	RTU
pH Level	11.8 – 12.8
Color	Clear
Fragrance	Lemon

Effective against
Mycobacterium
tuberculosis in
5 MINUTES
and Norovirus in
30 SECONDS.



A ready-to-use, quaternary ammonium disinfectant spray cleaner that is ideal for healthcare facilities due to its extensive list of disinfectant claims including Tuberculosis and Norovirus. Inhibits growth of mold and mildew and controls related odors. EPA registered as a Broad Spectrum Disinfectant cleaning product.

FORMULA FEATURES:

- EPA Approved for Use with Check Mate Electrostatic Cleaning System
- Cleaner, Deodorizer and Mildewstat
- Effective Tuberculocidal Disinfectant on Hard, Non-Porous Surfaces
- Unlike Bleach, Will Not Damage Carpets, Upholstery, Clothing or Metal
- Kills Many Viruses and Bacteria in 1, 3 or 5 Minutes
- Kills Norovirus in 30 Seconds
- EPA Registered to Kill Hepatitis A
- Bloodborne Pathogen Compliant

RECOMMENDED FOR:

- Hard, non-porous surfaces
- Floors
- Walls
- Counters
- Sinks
- Appliances
- Metal Surfaces
- Stainless Steel Surfaces
- Glazed Porcelain
- Ceramic Tile
- Plastic Surfaces
- Bathrooms
- Shower Stalls and Bathtubs

DIRECTIONS:

Disinfection, deodorizing and cleaning: Remove gross filth or heavy soil prior to application of the product. Hold container six to eight inches from surface to be treated. Spray area until it is covered with the solution. Allow product to penetrate and the surface to remain wet for 3 minutes (for Bloodborne Pathogens: allow surface to remain wet for HIV-1 1 minute and for HBV and HCV 5 minutes). No scrubbing is necessary. Wipe off with a clean cloth, mop or sponge. The product will not leave grit or soap scum.

Q/T TUBERCULOCIDAL SPRAY DISINFECTANT

DISINFECTANT CLAIMS:

- Mycobacterium Tuberculosis
- Pseudomonas aeruginosa
- Staphylococcus aureus
- Salmonella (choleraesuis) enterica
- Escherichia coli
- Escherichia coli O257:H7
- Streptococcus pyogenes
- Listeria monocytogenes
- Yersinia enterocolitica
- Enterococcus faecium
- Corynebacterium ammoniagenes
- Salmonella (typhi) enterica
- Methicillin resistant Staphylococcus aureus (MRSA)
- Vancomycin resistant Enterococcus faecalis (VRE)
- Vancomycin intermediate resistant Staphylococcus aureus (VISA)
- Methicillin resistant Staphylococcus epidermidis (MRSE)
- Community Associated Methicillin resistant Staphylococcus aureus (CA-MRSA)

VIRUCIDAL ACTIVITY:

- HIV-1 (associated with AIDS)
- Avian Influenza A strain H3N2
- Avian Influenza A strain H9N2
- Hepatitis B Virus (HBV)
- Hepatitis C Virus (HCV)
- Duck Hepatitis B Virus (DHBV)
- Bovine Viral Diarrhea Virus (BVDV)
- Human Coronavirus
- SARS associated Coronavirus
- Rabies Virus
- Paramyxovirus (Mumps)
- Rotavirus
- Norovirus (Norwalk Virus)
- Feline Calicivirus
- Canine Parvovirus
- Poliovirus Type 1
- Rhinovirus Type 39
- Hepatitis A Virus (HAV)

FUNGICIDAL ACTIVITY:

- Trichophyton mentagrophytes (Athlete's Foot Fungus)

This is not a complete list of organisms and names